EQUAL

EQUAL Comfort is a bench with a simple geometry formed by a combination of concrete and the warmth of wood, which uses proportion and balance to create a space in which to sit and share. EQUAL Concrete has the same geometry regardless of wood. Available in 2 or 3 meters in length it offers a comfortable and attractive surface. In all its models it allows to incorporate LED lighting under the seat.

FSC® Certified Wood | Concrete | 298 cm/max | 1140 kg | 5 Add-ons: | LED

Update 22.05.2025



Pepe Gascón 2009

by Molins

ORIGIN
It is the result of a tender process organised to reduce vehicle traffic in the site formed by the squares known as “Santa Maria i els Herois” in the historical centre of the city of Puigcerdà.

DESIGN
The balance of its volume due to the union that shapes the base of the bench and emerges as the back.
The balance of its inclined planes and their orthogonal planes, which create a simple but surprising geometry. The balance of the two materials that are joined so that each stands out from the other: the coldness of the concrete and the warmth of the wood.

USABILITY
The balance between its possibilities of use, since it allows users to sit on it with or without the back, in lengths of 2 or 3 meters and with LED lighting option and equipped with Driver and registration cover in 316L stainless steel.

MATERIAL
Dry-mix concrete reinforced with stainless steel. Etched finish and colour in accordance with the standard Escofet colour chart. EQUAL Comfort models, seat and backrest formed by strips of FSC® tropical wood protected by Lasur. The bench is offered with option of armrests in galvanized steel painted silver color 6 mm thick. Screws included in stainless steel.

INSTALLATION
It is self-stabilising and can rest on the paving, lawn or sand with no need for anchors.





EQUAL

escofet by Molins


EQUAL

Escofet
by Molins










1. Bench

Equal		300	200
Dimensions		298 x 60 x 46 (88) cm	200 x 60 x 46 (88) cm
Weigh	Concret Comfort	1093 kg 1140 kg	781 kg 812 kg
Lighting (optional)	LED 8 -15 W; 4000º K o 3000ºK	**Driver**	24V / IP67
1.1 General features			
Material	Concrete Recycled concrete	**Fixing**	Free-standing
Finish	Etched and waterproofed		
Finish	Tropical wood FSC®		


Colours




GR. Grey




NG. Black



BL. White




CA. Grey CA



RA. Red



BG. Beige



EGR. Eco-grey®




A. Tropical wood FSC®

FSC
www.fsc.org
FSC® C019143
La marca de la gestión forestal responsable


1.2 Installation system


Hoisting
(P=1140 kg / 1093 kg
812 kg / 781 kg)





1.3 Geometry

Equal Concrete 300













Equal Concrete 200











1.3 Geometry


Equal Comfort 300




FRONT



SIDE




TOP




SIDE


Equal Comfort 200




FRONT



SIDE





TOP



SIDE

1.4 Lighting





BOTTOM

LED	
Operating voltatge	24V
Power	8-15 W/m
Color temperature	4000/3000 K
Degree of protection	IP67


Driver Vossloh or similar	
Power	30W
Voltage	220-240V
Frequency	50-60Hz
Power factor	>0,9
Degree of protection	IP67

EQUAL

Escofet
by Molins







Warranty

5 years in concrete elements.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Escofet by Molins

AENOR GESTIÓN AMBIENTAL ISO 14001 GA-2005/0072

AENOR SEGURIDAD Y SALUD EN EL TRABAJO ISO 45001 SST-0090/2010

AENOR GESTIÓN DE LA CALIDAD ISO 9001 ER-0403/2016

IQNET RECOGNIZED CERTIFICATION